

# MATERIAL SAFETY DATA SHEET

Total Solutions  
P.O. Box 240014  
Milwaukee, WI 53224



GENERAL INFORMATION NUMBER: (414) 354-6417  
CHEMTREC: (800) 424-9300

REVISION DATE: November 11, 2004  
DATE OF ISSUE: December 29, 2004

## I - Product Identification

### Hot Wax Concentrate

PRODUCT CODE: 0121

CHEMICAL FORMULATION: Water based protective coating.

NFPA HAZARD IDENTIFICATION SYSTEM: HEALTH: 1 FLAMMABILITY: 1 REACTIVITY: 0  
HAZARD RATING: 4 - Extreme; 3 - High; 2 - Moderate; 1 - Slight; 0 - Insignificant

## II - Hazardous Ingredients

Values reported as TWA unless noted.

SUBSTANCE	APPROX %	OSHA PEL	ACGIH TLV	EPA 40 CFR:			CAS #
				302	355	372	
2-Butoxyethanol	1.00-5.00	25 ppm (skin)	25 ppm (skin)	N	N	Y	111-76-2
Strait run middle distillate	15.0-25.0	400 ppm	400 ppm	N	N	N	64742-46-7
Isopropanol	1.00-3.00	400 ppm	400 ppm	N	N	N	67-63-0

Key: PEL: Permissible Exposure Limit TLV: Threshold Limit Value C: Ceiling level STEL: Short Term Exposure Limit  
N/A: Not Applicable N/D: Not Determined N/E: Not Established Y: Yes N: No  
302: CERCLA List of Hazardous Substances and Reportable Quantities (40 CFR 302.4).  
355: SARA TITLE III / List of Extremely Hazardous Substances for Emergency Planning and Notification (40 CFR 355).  
372: SARA TITLE III / List of Toxic Chemicals subject to Release Reporting (Community Right to Know) (40 CFR 372).

## III - Physical Data

BOILING POINT (°F): N/D SPECIFIC GRAVITY (WATER = 1): 0.96  
VAPOR PRESSURE (mm Hg): N/D VOC CONTENT (% by weight): N/D  
VAPOR DENSITY (AIR = 1): N/D EVAPORATION RATE (WATER = 1): N/D  
SOLUBILITY IN WATER: Soluble pH: 6.5 - 7.5  
APPEARANCE AND ODOR: Clear, amber liquid, slight solvent odor.

## IV - Fire and Explosion Hazard Data

FLASH POINT (°F): > 200 (TEST METHOD): Closed cup.  
FLAMMABLE LIMITS IN AIR (VOLUME %) UPPER: N/D LOWER: N/D  
EXTINGUISHING MEDIA: Water, foam, carbon dioxide, dry chemical.  
SPECIAL FIRE FIGHTING PROCEDURES: Fire fighters must use full protective gear including self-contained breathing apparatus. Use water spray to cool fire-exposed containers.  
UNUSUAL FIRE AND EXPLOSION HAZARD: None.

---

**V - Reactivity Data**

---

**STABILITY:** Stable**INCOMPATIBILITY:** Strong oxidizing agents.**CONDITIONS TO AVOID:** None.**HAZARDOUS DECOMPOSITION PRODUCTS:** Thermal decomposition may produce oxides of carbon.**HAZARDOUS POLYMERIZATION:** Will not occur.**CONDITIONS TO AVOID:** None

---

**VI - Health Hazard Data**

---

**ROUTES OF ENTRY**      **INHALATION:** X      **EYE CONTACT:** X      **SKIN CONTACT:** X      **INGESTION:** X**INGREDIENTS THAT ARE CONSIDERED BY OSHA, NTP, IARC TO BE SUSPECTED HUMAN CARCINOGENS:** None.**EFFECTS OF OVEREXPOSURE****IF IN EYES:** Moderate to severe irritation and corneal injury.**IF ON SKIN:** Mild to moderate irritation with prolonged or repeated exposure.**IF SWALLOWED:** Gastrointestinal irritation, nausea, diarrhea. Aspiration may be a hazard.**IF INHALED:** Respiratory tract irritation, dizziness, headache.**EMERGENCY AND FIRST AID PROCEDURES****IF IN EYES:** Flush eyes and under eyelids with plenty of cool water for at least 15 minutes. Obtain medical attention.**IF ON SKIN:** Wash thoroughly with soap and water. Remove contaminated clothing and launder separately before reuse. If irritation persists, obtain medical attention.**IF SWALLOWED:** Call physician or poison control center immediately. Rinse mouth with water. Give affected person 1 to 2 glasses of water. Do not induce vomiting unless told to do so by a poison control center or physician. Never give anything by mouth to an unconscious person.**IF INHALED:** Remove person to fresh air. Perform artificial respiration if breathing has stopped. Obtain medical attention, if irritation persists.

---

**VII - Spill or Leak Protection**

---

**STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:** Ventilate area and remove all sources of ignition. Soak up spilled material with inert absorbent material and place in a closed container for disposal.**WASTE DISPOSAL METHOD:** Consult local environmental authorities.

---

**VIII - Special Protection Information**

---

**RESPIRATORY PROTECTION:** Use with adequate ventilation. If recommended Exposure Limits are exceeded wear a NIOSH approved respirator, following manufacturer's recommendations.**VENTILATION****LOCAL:** Recommended**MECHANICAL:** Not required**PROTECTIVE GLOVES:** Chemical resistant.**EYE PROTECTION:** Safety glasses or goggles.**OTHER PROTECTIVE EQUIPMENT:** Eye wash station.**PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:** Store in a cool, dry place away from heat or open flame. Keep container tightly closed when not in use. Wash thoroughly after use.**OTHER PRECAUTIONS:** Keep out of reach of children.

---

**IX - Transportation Information (ground transportation only)**

---

**DOT PROPER SHIPPING NAME:** None**DOT CLASS:** None**DOT ID NUMBER:** None**DOT PACKING GROUP:** None

The shipping information listed above applies only to non-bulk (< 119 gallons) containers of this product. This product may have more than one proper shipping name depending on packaging, product properties, & mode of shipment. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may apply.

**REVISION DATE:** November 11, 2004**Prepared by:** PMR**DATE OF ISSUE:** December 29, 2004

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Total Solutions assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material such vendees or users assume all risks associated with the use of this material.