MATERIAL SAFETY DATA SHEET

Total Solutions P.O. Box 240014 Milwaukee, WI 53224

GENERAL INFORMATION NUMBER: (414) 354-6417 CHEMTREC: (800) 424-9300



REVISION DATE: July 22, 2009 DATE OF ISSUE: July 30, 2009

I - Product Identification								
Floor NeutralizerPRODUCT CODE: 0710CHEMICAL FORMULATION: Inorganic acid solutionNFPA HAZARD IDENTIFICATION SYSTEM: HEALTH: 1HAZARD RATING: 4 - Extreme; 3 - High;			FLAMMABILITY: 0 2 - Moderate; 1 - Slight;			REACTIVITY : 0 0 - Insignificant		
II - Hazardous Ingredients								
Values reported as TWA unless noted.								
	APPROX OSHA ACGI				EPA 40 CFR:			
SUBSTANCE	<u>%</u>	<u>PEL</u>	<u>TLV</u>	<u>302</u>	<u>355</u>	<u>372</u>	CAS #	
Sulfamic Acid	< 5.00	N/E	N/E	N	N	N	5329-14-6	
 Key: PEL: Permissible Exposure Limit N/A: Not Applicable 302: CERCLA List of Hazardous S 355: SARA TITLE III / List of Extra 372: SARA TITLE III / List of Tox 	N/D : Not Deubstances and l remely Hazardo ic Chemicals su	etermined Reportable Quan ous Substances f ubject to Releas	or Emergency Pla e Reporting (Con	stablished 02.4). anning an	l d Notif	Y: Yes		
III - Physical Data								
BOILING POINT (°F): N/D		SPECIFIC GRAVITY (WATER = 1): 1.0						
VAPOR PRESSURE (mm Hg): N/D	VOC CONTENT (% by weight): 0							
VAPOR DENSITY (AIR = 1): N/D	EVAPORATION RATE (WATER = 1): N/D							
SOLUBILITY IN WATER: Soluble	pH: 2.0							
APPEARANCE AND ODOR: Clear, wat	er white liquid	-						
Ī	V - Fire and	Explosion H	azard Data					
FLASH POINT (°F): N/A FLAMMABLE LIMITS IN AIR (VOLUM EXTINGUISHING MEDIA: Water, foam, SPECIAL FIRE FIGHTING PROCEDUR protective gear including self-contained brea UNUSUAL FIRE AND EXPLOSION HA	carbon dioxide ES: Cool fire e thing apparatus	UPPER: 1 e, dry chemical. exposed containe		OWER: 1 Firefight		ıld be equ	ipped with full	

V - Reactivity Data

STABILITY: Stable

INCOMPATIBILITY: Alkaline materials, metals, and metal salts.

CONDITIONS TO AVOID: Do not mix with chlorine bleach, ammonia, or any other cleaning chemicals. Do not spray to create a mist. Do not heat to create vapors.

HAZARDOUS DECOMPOSITION PRODUCTS: Thermal decomposition may produce oxides of carbon and sulfur oxide. HAZARDOUS POLYMERIZATION: Will not occur.

VI - Health Hazard Data

EYE CONTACT: X **ROUTES OF ENTRY INHALATION: SKIN CONTACT:** X **INGESTION:** X INGREDIENTS THAT ARE CONSIDERED BY OSHA, NTP, IARC TO BE SUSPECTED HUMAN CARCINOGENS: None. EFFECTS OF OVEREXPOSURE

IF IN EYES: Moderate to severe irritation, redness, tearing, blurred vision, destruction of tissue.

IF ON SKIN: Irritation, with prolonged or repeated exposure.

IF SWALLOWED: Severe burns to mucous membranes, nausea, vomiting, diarrhea.

IF INHALED: Irritation to upper respiratory tract.

EMERGENCY AND FIRST AID PROCEDURES

IF IN EYES: Flush eyes and under eyelids with plenty of cool water for at least 15 minutes. If irritation persists, obtain medical attention.

IF ON SKIN: Remove contaminated clothing and launder before re-use. Wash thoroughly with soap and water.

IF SWALLOWED: Contact physician or poison control center immediately. Give affected person several glasses of water followed with milk of magnesia. Do not induce vomiting. Never give anything to an unconscious person.

IF INHALED: Remove person to fresh air.

VII - Spill or Leak Protection

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED: Neutralize spill with baking soda and flush with water. WASTE DISPOSAL METHOD: Consult local environmental authorities.

VIII - Special Protection Information

RESPIRATORY PROTECTION: Use with adequate ventilation.

VENTILATION LOCAL: Recommended

PROTECTIVE GLOVES: Chemical resistant.

EYE PROTECTION: Safety glasses and/or chemical goggles.

OTHER PROTECTIVE EQUIPMENT: Eye wash station.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Corrosive material. Store away from alkaline material and reactive chemicals. Do not mix with any other cleaning chemicals. Keep container tightly closed when not in use. **OTHER PRECAUTIONS:** Keep out of reach of children.

IX - Transportation Information (ground transportation only)

DOT ID NUMBER: NA 1760 **DOT CLASS: 8**

DOT PROPER SHIPPING NAME: Compounds, cleaning liquid (sulfamic acid) DOT PACKING GROUP: III

The shipping information listed above applies only to non-bulk (< 119 gallons) containers of this product. This product may have more than one proper shipping name depending on packaging, product properties, & mode of shipment. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may apply.

REVISION DATE: July 22, 2009

Prepared by: Technical Dept.

DATE OF ISSUE: July 30, 2009

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Total Solutions assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material such vendees or users assume all risks associated with the use of this material.

MECHANICAL: Not required