Use this product in: Bathrooms, Homes, Kitchens, Dental offices, Hospitals, Medical Offices, Nursing homes, Day care centers, Nurseries, Bars, Cafeterias, Institutional kitchens, USDA inspected food processing facilities, Colleges, Correctional facilities, Dressing rooms, Exercise facilities, Factories, Health clubs, Hotels, Institutional facilities, Institutions, Laundry rooms, Locker rooms, Motels, Prisons, Public facilities, Public rest rooms, Salons, Schools, Shower and bath areas, Sick rooms, Airplanes, Airports, Ambulances, Buses, Emergency vehicles, Ships, Taxis, Trailers, Trains and Transport terminals.

Use this product on washable hard, nonporous surfaces of: Bathroom fixtures, Bathtubs, Cabinets, Cages, Chairs, Computer keyboards, Counters, Cupboards, Desks, Diaper changing tables, Diaper pails, Doorknobs, Equipment tables, Faucets, Faucet Handles, Floors, Finished floors, Garbage cans, Glass, Highchairs, Lab benches, Linoleum, Light switches, Laminate flooring, Refrigerators – exteriors, Refrigerated storage and display equipment, Sealed floors, Showers, Shopping cart handles, Shower walls, Sinks, Storage Areas, Stoves, Tables, Tanning Beds, Exterior Toilet bowl surfaces, Toilet seats, Toys<sup>3</sup>, Tub walls, Tubs, Tiles, glazed, Walls.

Other hard nonporous surfaces made of: ABS, Acrylic, Aluminum, Brass, Chrome, Finished woodwork, Formica<sup>®</sup>, Glass, Glazed ceramic, Glazed enameled surfaces, Glazed porcelain, LDPE, HDPE, Metal, Plastic, Polycarbonate, PVC, Sealed granite, Sealed marble, Sealed quartz, Sealed stone, Stainless steel, Upholstery- vinyl and plastic.

Use this product to clean and disinfect nonporous personal protection equipment, protective headgear, hard hats, half mask respirators, full face breathing apparatus, gas masks, goggles, spectacles, face shields, silicone rubber or PVC hearing protectors and vinyl covered earmuffs. Rinse all equipment that comes in contact with skin before reuse with clean warm water, and allow to air dry.

This product kills: **Bacteria:** Pseudomonas aeruginosa (Pseudomonas), Salmonella enterica (Salmonella),

Staphylococcus aureus (Staph), Acinetobacter baumannii, Burkholderia cepacia, Campylobacter jejuni (Campylobacter), Corynebacterium ammoniagenes, Enterobacter aerogenes, Enterococcus faecalis (Enterococcus), Enterococcus faecalis - Vancomycin Resistant (VRE), Escherichia coli (E. coli), Escherichia coli O157:H7, ESBL Escherichia coli - (Extended spectrum beta-lactamase producing E. coli), Klebsiella pneumoniae (Klebsiella). Klebsiella pneumoniae (NDM-1), Legionella pneumophilia, Listeria monocytogenes, Salmonella schottmuelleri (Salmonella), Salmonella typhi (Salmonella), Serratia marcescens (Serratia), Shigella dysenteriae (Shigella), Staphylococcus aureus - Community Associated Methicillin-Resistant (CA-MRSA)(NRS384)(USA300), Staphylococcus aureus - Community Associated Methicillin-Resistant (CA-MRSA) (NRS123)(USA400) Staphylococcus aureus - Methicillin-Resistant (MRSA), Staphylococcus aureus - Multi-Drug Resistant (resistant to tetracycline [Tc], penicillin [Pc], streptomycin [Sm] and erythromycin [Em] and susceptible to chloramphenicol [Cm] in vitro), Staphylococcus aureus-Vancomycin Intermediate Resistant - (VISA), Streptococcus pyogenes (Strep), Vibrio cholerae.

Viruses: \*Hepatitis B Virus (HBV), \*Hepatitis C Virus (HCV), \*Herpes Simplex 11ths Type 1, \*He bet simplex Virus Type 2, \*HIV-1 (ADS Virus), Human Corpaying, \*Influenza Type A Virus / Brazil In uenza Influenza A Virus H1N1, \*Norwalk Virus (I oro irus), \*Respiratory Syncytial Virus (RSV), \*Rota Irus, SARS Associated Coronavirus (SARS) (cause or Severe Acute Respiratory Syndrome), \*Vaccinia Virus.

Animal Viruses: Avian Influenza Virus H3N2, Avian Influenza Virus H5N1, Canine Distemper Virus, Feline Calicivirus, Newcastle's Disease Virus, and Pseudorabies Virus. Fungi: Candida albicans

#### To Open Package:

Remove cover. Pull up wipe corner from center of roll. Thread through hole in the cover. Replace cover. Open center cap on cover to remove wipe. When not in use, close center cap to prevent moisture loss.

# **TOTAL** SOLUTIONS®

## SPEC4 DISINFECTANT WIPES Clean and Disinfect ... Just • Minutes • FAS DRYING: LEAVES TO DUTE OF STICK / RESIDUE LEI ON TRA BRANCE - BLEACH FREE

Alkyl (C14, 50%; C12, 40%; C16, 10%) dimethyl benzyl ammonium chloride	0.1212%
Other Ingredients:	99.6970%
Total	100.0000%1
<sup>1</sup> Includes weight of absorbent wine	

KEEP OUT OF REACH OF CHILDREN CAUTION See side panel for Precautionary Statements and First Aid.

EPA Reg. No. 6836-340-68562 EPA Est. No. 10088-WI-2

Net Contents: 1 lb. 9 ozs.

EOD ORI2 FS • MILLS MOLD & MILDEW

**180** Wipes 6" x 7" (15.24cm x 17.78cm)

Distributed By: Total Solutions® PO Box 240014 • Milwaukee, WI 53224



It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use as a diaper wipe or for personal cleansing. This is not a baby wipe! Do not flush in toilet.

For plastic and painted surfaces, spot test on an inconspicuous area before use.

This product will not harm most surfaces: including acrylic, sealed fiberglass and vinyl.

TO CLEAN AND DISINFEC., VIRUCIDAL MOLP AND MILDEW CONTROL DIR CLOWLT More hard, nonporous surface with wipe t til surfa te tvisibly vet. Allow surface to remove to 4 minutes. For candida Albinus, treated surfaces nust emain wet for 8 minutes. For Norwa Vir s, reline Calicivirus, Norovi us and to svirur, cated surfaces must remain wet for 0 minutes. Coair dry. If surfaces are extremely dirty, cle n fine with another wipe before disinfecting. Discard used wipe in trash. Do not flush.

Rinse food contact surfaces with clean, potable water after disinfecting. Do not use to disinfect dishes, glassware or utensils.

For mold and mildew, this product will effectively inhibit the growth of mold and mildew and the odors caused by them when applied to hard, nonporous surfaces. Follow disinfection instructions. Repeat treatment every seven days, or more often if new growth appears.

This product is not for use on medical device surfaces.

\*KILLS HIV AND HBV AND HCV ON PRE-CLEANED ENVIRONMENTAL SURFACES / OBJECTS PREVIOUSLY SOLLED WITH BLOOD / BODY FLUIDS in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces / objects with blood or body fluids, and in which the surfaces / objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) or Hepatitis B Virus (HBV) or Hepatitis C Virus (HCV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 OR HBV OR HCV ON SURFACES / OBJECTS SOILED WITH BLOOD / BODY FLUIDS.

**Personal protection:** Clean-up must always be done wearing protective gloves, gowns, masks and eye protection.

<b>ATHEA</b> PO BOX 240014 MILWAUKEE, WI 53224 T: 800.743.6417	CREATION -REVISION DATE
LABEL #: G156750P1 (Previously LB-TS-SPEC4-180, 07.01.19BL)	09.18.13
DESCRIPTION: 1567   180ct   SPEC4 Disinfectant Wipe  120MM	05.19.14
CUSTOMER: Total Solutions	06.19.14vb
SIZE: 14.5" (w) x 5.5" (h); .125" radius corner; LIVE AREA: .125" trim from edge; .125" bleed	05.13.19-JL
APPLICATION: Pressure Sensitive - Digital	07.01.19BL
COLOR(S): CMYK	



**Cleaning procedure:** Blood and other body fluids containing HIV or HBV or HCV must be thoroughly cleaned from surfaces and objects before application of this product. This product can be used for this purpose. **Contact time:** Leave surface wet for 1 minute for HIV-1. Use appropriate contact time as listed on label for all other viruses and bacteria claimed.

**Disposal of infectious material:** Blood, body fluids, cleaning materials and clothing must be disposed of according to local regulations for infectious waste disposal.

This product is for use on hard nonporous surfaces not onducive to treatment by immersion or excess liquid against Avian Influenza A.

**SANITIZING, DEODORIZING:** To sanitize, deodorize hard nonporous, non-food contact surfaces; wipe surface, using enough wipes to allow treated surface to remain wet for 15 seconds for Staphyloccocus aureus (Staph) (ATCC 6538), Klebsiella pneumoniae (ATCC 4352), and Campylobacter jejuni (ATCC 29428). Let surface dry. For highly soiled surfaces, clean excess dirt first.

#### PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

Caution. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

#### FIRST AID

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.

Call a poison control center or doctor for treatment advice. Have the product container or label with you when calling poison control center or doctor or going for treatment.

### **STORAGE AND DISPOSAL**

Store in original container in areas inaccessible to children. Keep securely closed. Nonrefillable container. Do not reuse or refill this container. Discard empty container in trash or recycle if available.

<sup>3</sup>Rinse toys with clean, potable water after disinfecting.

4On hard, non-porous, non-food surfaces

1567.061119