

Extractors

Fastracts



IPC Eagle

Box and self-contained extractors

FASTRACTS EXTRACTORS
When you need it cleaned fast!



SC4



SC7



SC12



BX12



BX2

Extractors **Fastracts**



SC4

Perfect for quick and easy cleanup of smaller areas, rooms and spots in restaurants, hotels, schools, health-care facilities and homes.

- Cleaning width 12".
- Tank capacity 4 gallons.
- Folding handle and compact design makes it easy to transport and store.
- Exclusive lift-off bucket with bladder holds both clean and soiled water, makes it easy to fill and empty with no spills or mess.
- Self adjusting, self levelling brush eliminates manual adjustment.
- Designed for easy maintenance.
- Cleans stairs and upholstery with optional tools.



SC7/SC12

These 7 and 12 gallon self-contained extractors offer portability, ease of operation, and performance. With up to a 19" wide cleaning path, high speed brush, and dual vacuum motors, the SC7 and SC12 can clean and dry carpets fast!

- Capacity 7 and 12 gallon models.
- Cleaning paths 19" (SC12) and 17" (SC7).
- Patented, 4 wheel design for excellent balance and turning radius.
- Dual vacuum motors for fast dry times.
- Self-adjusting, self-levelling brush eliminates manual adjustment.
- Easy lift-off recovery bucket with no hose to detach.
- Dual buckets with the SC12 for safe lifting and dumping of solution.
- High speed brush for fast cleaning.
- Adjustable handle and large wheels make climbing stairs and curbs easy.
- Exclusive clamshell body allows for easy service.
- Cleans stairs, floors, and upholstery with optional tools and hoses.
- Vacuum head is off-set to clean up to baseboards and corners.

Extractors **Fastracts**



BX12

The BX12 is designed to provide professional cleaning performance. With a standard 150 psi pump, dual vacuums, and an optional in-line heater, the BX12 has the power to reclaim the dirtiest of carpets.

- Powerful, 150 psi pump and dual vacuum motors with 150" water lift provides for optimum cleaning.
- Available with or without built-in heater.
- Opens like a clam shell, to allow access to motor compartment, guaranteeing fast, inexpensive service.
- Compact design at only 78 pounds provides exceptional portability.
- Sealed waterproof switches are inset at the top of the handle, ensures safety and ease of operation.
- All motors are mounted to a metal baseplate to guarantee long-term durability.
- All fittings -- such as the strain relief, quick disconnect, etc. -- are fully protected, eliminating breakage during transport, storage and operation.
- High dump allows for easy emptying into a 5 gallon bucket.
- Vacuum motors are mounted upright (not sideways or upside down), eliminating premature bearing failure.
- Intercooler cools the motor compartment, extending motor life.
- Stair climbing handle and 10-inch rear wheels for easy transport.



BX2

The only small extractor truly designed to be a spotter. With a built-in transport handle, molded-in holders for spray bottles, and a place to wrap the cord and hose, it is ready to clean those spots whenever you are!

- At 17 pounds, it is compact and maneuverable.
- Tank capacity 2 gallons.
- Built-in handle and 6" wheels makes it easy to transport.
- Built-in spray bottle holders transform the machine into a spotting system.
- Only upright-mounted vacuum motor on the market to insure longer motor life.
- Over sized recovery to control foam.
- Quickly opens up for easy servicing and repair.

Extractors Fastracts



Equipment Specifications

| Model | SC4 4-gallon Extractor Self-contained | SC7 7-gallon Extractor Self-contained | SC12 12-gallon Extractor Self-contained | BX12 Box Extractor 12 gallon | BX2 2-gallon Spotter |
|---|--|---|--|------------------------------------|----------------------------|
| Cleaning Width | 12" | 17" | 19" | NA | NA |
| Solution Tank | 4.5 gallon | 7 gallon | 12 gallon | 12 gallon | 2 gallon |
| Recovery Tank | 3 gallon | 7 gallon | 11 gallon dual | 11 gallon | 3.5 gallon |
| Solution Pressure | 50 psi | 50 psi | 100 psi | 150 psi | 55 psi |
| Vacuum Motor | 2 stage vacuum, 2hp, 112 CFM 107" water lift | Single, 2 stage vac, 2hp, 112 CFM 107" water lift | Dual, 2 stage Dual 1200 CFM | Dual 2-stage 150" lift | 2-stage, 86" lift |
| Cylindrical Brush | 1/6hp, self-adjusting 2500 RPM | 1/6hp, self-adjusting 2100 RPM | 1/6hp, self-adjusting 2100 RPM | NA | NA |
| Wheels | 2 x 7" | 4 x 7" | 4 x 8" | 2 x 10" 2 x 4" caster | 2 x 6" |
| Power Cord | 25' | 50' | 50' | 2-50' (Heat) | 25' |
| Weight | 40 lbs. | 78 lbs. | 106 lbs. | 78 lbs. | 17 lbs. |
| Shipping Weight | 53 lbs. | 87 lbs. | 140 lbs. | 89 lbs. | 31 lbs. |
| Height/Length/Width (w/handle upright) | 24" x 23" x 12" | 39" x 30" x 17" | 38" x 48" x 25" | 35" x 31" x 18" | 20.5" x 15" x 13" |
| Circuit Breaker | 250V AC | 250V AC | 250V AC | NA | NA |
| Optional Heater | No | No | No | Yes | No |
| Solution Hose | Optional | Optional | Optional | 15', 3/8" Diameter | 8' |
| Vacuum Hose | Optional | Optional | Optional | 15', 1 1/2" crush resistant | 8' |



IPC Eagle

2955 Lone Oak Drive • Eagan, MN 55121
651.686.5399 • Fax 651.686.5695
www.ipceagle.com

IPC Eagle Corporation Sales and Service Provided by: