

Automatic Rider Scrubbers

CT 110

29/32 Gallon, 28", 32"



IPC Eagle

High Productivity



Large solution capacity in a minimum external space



Extensive running time, large battery compartment



Brush Control with delayed automatic stop



3 solution distribution options:

- Standard
- Automatic
- Economy



High Performance



Solution distribution from brush center



Exclusive squeegee system assures high performance at low cost



Pre-programmed work settings



SLS (Self Levelling System) automatic brush pressure control



High quality/high performance vacuum motor



Automatic Rider Scrubbers CT 110



Ergonomics, User Friendly



Great maneuverability due to optimum weight distribution



Great working visibility



Designed to assure minimum noise levels



Designed for maximum comfort



Easy to use control panel



Automatic stop (by command release) in working mode



Battery level indicator



Solution tank discharge hose



Solution tank can be tilted



Flashing beacon



External battery charger plug



On board charger can be easily installed now or later

Low Maintenance Costs



Inlet and outlet filters for maximum solution tank protection



AFS (Anti Foam System)



Brush replacement without tools



Squeegee blade can be used on 4 sides before replacement



Automatic squeegee lift in reverse



Squeegee assembly and blades replacement without tools



Easy access to internal compartments



Detergent tank housing (chem-dose)



Automatic Rider Scrubbers

CT 110



Durability



Tanks and surrounding body in high density polyethylene



Oil bath reduction gear box



Brush head designed to absorb harsh impact



Squeegee system designed to absorb harsh impact



Panel control switches protected against water and humidity



Technical data		CT110 BT 70	CT110 BT 85
Scrubbing width	inch/mm.	28"/700mm	32"/850mm
Squeegee width	inch/mm.	40"/1010mm	40"/1010mm
No. of brushes		2 (disc)	2 (disc)
Solution tank capacity	Gal/Ltr	29 Gal/110 Ltr	29 Gal/110 Ltr
Recovery tank capacity	Gal/Ltr	32 Gal/120 Ltr	32 Gal/120 Ltr
Battery power supply		24 V / 240 Ah	24 V / 240 Ah
Max Speed	mph/Kmph	3.9/6.5	3.9/6.5
Empty weight without batt.	lbs/kg	471/214	508/231
Length	inch/mm.	49"/1230mm	49"/1230mm
Width	inch/mm.	30"/770mm	34"/870mm
Height	inch/mm.	50"/1270mm	50"/1270mm

Automatic Rider Scrubbers CT 110



Competitive Advantages




Exclusive squeegee system assures high performance

Incomparable drying results even on the most difficult surfaces due to a very unique design.



Large tank capacity in minimum external space

29/32 gallon (110-115 liter) capacity makes this model very unique in its category.



Save water and chemicals

STANDARD

Solution flow through basic adjustment

AUTOMATIC

Solution flow proportional upon machine speed

ECONOMY

Solution always at minimum adjustment

CHEM-DOSE (opt)

Automatic chemical dispensing system.



Very comfortable riding position due to an adjustable steering wheel

1. The control panel is easy and intuitive to use and program.
2. When the recovery tank is full, the left LED lights up and the vacuum motor turns off. The right LED indicates when the solution tank has reached the reserve and there is enough solution for about two minutes of cleaning.



Auto start and stop on all functions

- Brushes
- Solution
- Vacuum
- Traction

All functions stop and start upon traction pedal activation. Avoids having to stop and start the machine.



Recovery and solution tank can be tilted to clean and maintain

Easy to rinse and clean with smooth internal finishes.



IPC Eagle

2955 Lone Oak Drive • Eagan, MN 55121
651.686.5399 • 800-486-2775
www.ipceagle.com

IPC Eagle Corporation Sales and Service Provided by: