


Automatic Scrubbers

CT 90

24/25 Gallon, 28", 32"



IPC Eagle

High Productivity



Large solution capacity
in a minimum
external space



Extensive running time,
large battery compartment



Solution Control with
automatic stop



Brush Control with
delayed automatic stop



Automatic Scrubbers

CT 90



High Performance



CFS (Center Flow System)
Solution distribution from
brush center



CWS (Constant Weight
System) Ensures maximum
scrubbing results



Exclusive squeegee
system assures high
performance at low cost



High quality / high
Performance vacuum
motor

Ergonomics, User Friendly



Great maneuverability
due to optimum weight
distribution



Great working visibility



Designed to assure
Minimum noise levels



Easy to use control
panel



Battery level indicator



Recovery tank
discharge hose at
maximum height



Recovery tank can be
tilted for ease of
cleaning



On board charger can
be easily installed now
or later



External battery
charger plug

Low Maintenance Costs



Inlet and outlet filters for
maximum solution tank
protection



AFS (Anti Foam System)
and shut off sensor
protect vacuum



Spin-on spin-off
brush/pad driver (single
brush only)



Squeegee blade can be
used o2 n4 sides before
replacement



Squeegee assembly and
blade replacement
without tools



Easy access to internal
compartments



Automatic Scrubbers

CT 90



Durability



Tanks and surrounding body in high density polyethylene



Oil bath reduction gear box



Brush head designed to absorb harsh impact



Squeegee system designed to absorb harsh impact



Panel control switches protected against water and humidity



BT70 Version



Technical dat

		CT90 BT70	CT90 BT85
Scrubbing width	inch/mm.	28"/700mm	33"/850mm
Squeegee width	inch/mm.	38"/950mm	43"/1010mm
No. of brushes		2 (disc)	2 (disc)
Solution tank capacity	Gal/Ltr.	24Gal/90 Ltr	24Gal/90 Ltr
Recovery tank capacity	Gal/Ltr.	25 Gal/95 Ltr	25 Gal/95 Ltr
Power supply		24V / 240 Ah	24V / 240 Ah
Empty weight without batt.	Lbs/kg	216 Lbs/88 Kg	228 Lbs/104 Kg
Length	inch/mm.	54"/1358mm	57"/1446mm
Width	inch/mm.	30"/748mm	35"/893mm
Height	inch/mm.	40"/1025mm	40"/1025mm

Automatic Scrubbers

CT 90



Competitive Advantages



Exclusive squeegee system assures high performance

Incomparable drying results even on the most difficult surfaces due to a very unique design.



Large tank capacity in minimum external space

24/25 gallon (90-95 liter) capacity makes this model very unique in its category.



Solution control with automatic stop

Saves water and chemicals. Solution flow stops and starts upon brush activation.



Maximum protection for the vacuum motor (water level sensor)

1. The vacuum motor is mounted in the highest part of the machine and is protected by a filter and water level sensor.
2. When the dirty water tank is full, the left LED lights up and the vacuum motor shuts down. The right LED indicates when the cleaning solution has reached the reserve and there is enough solution for about two minutes.



Brush control with automatic delayed stop

Saves brush wear and protects the floor surface. Brush rotation stops (3 sec. delay) and starts upon brush activation.



Recovery tank can be tilted

Easy to rinse and clean with smooth internal finishes.



IPC Eagle

2955 Lone Oak Drive • Eagan, MN 55121
651.686.5399 • 800-486-2775
www.ipceagle.com

IPC Eagle Corporation Sales and Service Provided by: