

ELECTRIC AUTO SCRUBBERS

TT 3450 AND TT 4550

So compact and easy to use, anyone can operate them. A fully adjustable handle ensures it's comfortable to use for any operator. The pad pressure is excellent for both scrubbing and stripping - and with 100" waterlift and 95 CFM of airflow, it dries your floors like nothing else. A semi-parabolic squeegee pivots to ensure efficient water recovery on turns and it can be easily removed for cleaning. In fact, the entire unit can be broken down into sections for manual transport up and down stairs or from job to job.

There's no crawling underneath required for brush or pad changes. The patented flip up head design makes those changes easy. The TT 3450's lightweight twin recovery tanks make emptying dirty water simple and its stainless steel chassis will never rust.

The structural foam brush deck is rust proof, durable and carries a 10-year warranty.

4
NACE CARE SOLUTIONS



TT 3450



TT 4550

Key Features of all the Twintecs



Multi-position adjustable handle.



Polyurethane blades for excellent water recovery.

GEL BATTERY AUTO SCRUBBERS

TTB 3450 - TTB 4500 - TTB 4552 - TTB 6650
STRUCTURAL AND MECHANICAL FEATURES

So compact and easy to use, anyone can operate it. The fully adjustable handle provides proper ergonomics for all your operators. Three-position adjustable pad pressure (on the 3450, 4500 and 4552, simply slide the battery tray) allows for scrubbing or stripping. A semi-parabolic squeegee with polyurethane blades pivots to give you efficient water recovery on turns and is easily removed for cleaning.

There's no crawling underneath required for brush or pad changes. The patented flip up head design makes those changes a breeze.

The float shut-off and an inline filter ensures debris does not reach the vacuum motor.

The stainless steel chassis and squeegee lift mechanism will never rust.

And the structural foam brush deck is not only rust proof and durable, it carries a 10-year warranty.



Patented Flip Up Head
- Available on All Twintecs



Adjust the Pad Pressure simply
by Sliding the Battery Tray



TTB 3450

NACE CARE SOLUTIONS
5

GEL BATTERY AUTO SCRUBBERS

TTB 3450 - TTB 4500 - TTB 4552 - TTB 6650

CONSOLE AND ELECTRICAL FEATURES

An LED control panel ensures the operator knows the status of the vacuum, water flow, brush pressure and batteries at all times. In the event the brushes get overloaded, they will shut down to protect the motor. Simply release the trigger and they automatically re-set. And every model comes with a safety key so it can be stored or charged anywhere.

All the electrical components are easily accessible for servicing. There are no circuit boards on the 3450, 4500 and 4552 models - all machine functions are run completely by switches and relays.

6
NACE CARE SOLUTIONS



Console Informs Operator on
Pad Pressure and Battery
Status



Inline Filter Protects the
Vacuum Motor from Debris



Patented Flip Up Head
on all Models



TTB 4552

GEL BATTERY AUTO SCRUBBERS

BATTERY CHARGERS

Charge anywhere with the fully self-diagnostic, on-board charging system.



TTB 6650
Rear View



TTB 6650

GEL BATTERY FEATURES

NaceCare provides 100% gelled electrolyte batteries with all our Twintec scrubbers. They save time because they're totally maintenance free with no terminal corrosion, ever.

They provide the operator with a high degree of safety – sealed in a spill-proof enclosure, no acid can spill due to improper maintenance or handling and no emergency spill kit is needed. They can be charged anywhere, without special ventilation, because minimal hydrogen gas is given off during charging. And they are completely explosion proof – making them the safest battery available anywhere.

NACE CARE SOLUTIONS
7

MODEL	TT 3450/4550	TTB 3450	TTB 4500/4552	TTB 6650
CLEANING PATH	17" / 20"	1-17"	1-19" / 2-11"	2-13"
SOLUTION TANK	8 / 11 gal.	8 gal.	11 gal.	16 gal.
RECOVERY CAPACITY	8 / 11 gal.	8 gal.	11 gal.	16 gal.
BRUSH PRESSURE (low)	NA	58 lbs.	61 / 91 lbs.	NA
BRUSH PRESSURE (med.)	NA	65 lbs.	68 / 98 lbs.	NA
BRUSH PRESSURE (high)	80 / 105 lbs.	72 lbs.	75 / 105 lbs.	90 lbs.
BRUSH SPEED	180 rpm	150 rpm	150 rpm	150 rpm
BRUSH MOTOR	1000w-1.3 / 1200w-1.6hp	400w-0.5hp	400w-0.5hp	400w-0.5hp
VACUUM MOTOR - POWER	1000w-1.3hp	400w-0.5hp	400w-0.5hp	400w-0.5hp
POWER CORD	65 ft.	NA	NA	NA
WORKING CAPACITY (sq.ft./hr.)	NA	13,000	15,000	22,000
RUN TIME	NA	2.5 - 4 hrs.	2.5 - 4 hrs.	3 - 4 hrs.
BATTERIES - GEL	NA	2 x 100ah	2 x 100ah	4 x 100ah
WEIGHT (no batteries)	125 / 150 lbs.	268 lbs.	277 lbs.	464 lbs.